Ordering data

Automation Builder

- Automation Builder connects the engineering tools for PLC, safety, drives, motion, control panels and SCADA. The software suite integrates products into solutions that create value for your customers, giving you greater control of your projects, reducing risk and saving time.
- Open systems win. They lead to more innovation, value and freedom of choice for your business.
 Automation Builder enables you to adapt the tool chain to your needs and workflows. The software is open for your specific product and communication technology to build your distinct solution.
- Automation Builder provides advanced features, further increasing engineering productivity for your automation solutions.
- Freemium license model with high flexibility in using the licenses. Licenses can be activated on PCs, USB license dongles or license servers (including borrowing of licenses for offline use).
- For details please refer to Automation Builder Software Features.

Automation Builder Editions

For	Description	Туре	Order code
Free 61131-3 engineering for simple PLC solutions	Automation Builder 2.x Basic (1)	-	-
Integrated Engineering for PLC, drives, motion, SCADA, panels	Automation Builder 2.x Standard (2)	DM200-TOOL	1SAS010000R0102
	Automation Builder 2.x Standard Upgrade (2)(3)	DM201-TOOL-UPGR	1SAS010001R0102
	Automation Builder 2.x Standard Network (5)	DM204-TOOL-NW	1SAS010004R0102
Integrated Engineering for PLC, drives, motion, SCADA, panels and features for engineering productivity and collaboration	Automation Builder 2.x Premium (5)	DM202-PREM	1SAS010002R0102
	Automation Builder 2.x Premium Upgrade (4)(5)	DM203-PREM-UPGR	1SAS010003R0102

Automation Builder add-ons

AC500-S Safety PLC programming	DM220-FSE (2)	1SAS010020R0102	
	DM221-FSE-NW (5)	1SAS010021R0102	
Professional Version Control with Subversion for Automation Builder 2.x	DM207-PVC (2) DM214-PVC-NW (5)	1SAS010007R0102 1SAS010014R0102	
Professional Static Ananlysis for Automation Builder 2.x (6)	DM210-PSA (2) DM217-PSA-NW (5)	1SAS010010R0102 1SAS010017R0102	
Professional Profiler for Automation Builder 2.x (6)	DM211-PPR (2) DM218-PPR-NW (5)	1SAS010011R0102 1SAS010018R0102	
Virtual Commissioning Platform for Automation Builder 2.x (7)	DM250-VCP (2) DM251-VCP-NW (5)	1SAS010050R0102 1SAS010051R0102	
	Professional Version Control with Subversion for Automation Builder 2.x Professional Static Ananlysis for Automation Builder 2.x (6) Professional Profiler for Automation Builder 2.x (6) Virtual Commissioning Platform for	DM221-FSE-NW (5) Professional Version Control with Subversion for Automation Builder 2.x Professional Static Ananlysis for Automation Builder 2.x (6) Professional Profiler for Automation Builder 2.x (6) Professional Profiler for Automation Builder 2.x (6) DM210-PSA (2) DM217-PSA-NW (5) DM211-PPR (2) DM218-PPR-NW (5) Virtual Commissioning Platform for DM250-VCP (2)	

Automation Builder licensing based on a USB Key	USB Key for Automation Builder without license (8)	DM-KEY	1SAP193600R0001
All Automation Builder PC software licenses can be in	stalled either on engineering PCs or on USB dongles. Network licenses	can also be installe	d on a license server. The licenses

- All Automation Builder PC software licenses can be installed either on engineering PCs or on USB dongles. Network licenses can also be installed on a license server. The licenses can be transferred between computers or dongles unlimited times.
- (1) Free license
- (2) Single user license bound to PC or DM-KEY (USB Key)
- (3) Purchase this option to upgrade Automation Builder 1.x Standard to Automation Builder 2.x Standard
- (4) Purchase this option to upgrade Automation Builder 1.x Premium to Automation Builder 2.x Premium. Edition upgrade licenses from Automation Builder 2.x Standard to Automation Builder 2.x Premium are available on demand.
- (5) Network license for shared usage within a local area network or for usage on Windows Server operating systems. Per license one user can use the license at the same time. Network licenses that can be borrowed for offline use are available on request.
- (6) In preparation
- (7) Expert function only available on request
- (8) Does not contain license. Automation Builder license must be purchased separately. Can carry an arbitrary number of licenses.



Automation Builder

Ordering data

AC500 Library Licenses

For	Description	Туре	Order code
all AC500 V2 CPUs	Solar library	PS562-SOLAR	1SAP195000R0101
all AC500 V2 CPUs	Water library	PS563-WATER	1SAS030000R0101
all AC500 V2 CPUs	Motion Control library, Extended	PS552-MC-E	1SAP192100R0102
all AC500 V2 CPUs	Temperature control library	PS564-TEMPCTRL	1SAS030010R0101
all AC500 V2 CPUs	BACnet library B-ASC profile	PS565-BACnet-ASC	1SAP195500R0101

Delivery includes a single user license, which can be used for creating applications for an unlimited number of CPUs. All library licenses can be installed on engineering PCs, on USB dongles or on Windows Server operating systems. The licenses can be transferred between computers or dongles unlimited times.

AC500 Runtime Licenses

For	Description	Туре	Order code
all AC500 CPUs	Modbus TCP HA runtime license	PS5601-HA-MTCP	1SAP195400R0101
all AC500 V3 CPUs	IEC 61850 protocol runtime license	PS5602-61850	1SAP195600R0101
all AC500 V3 CPUs	KNX IP protocol runtime license	PS5604-KNX	1SAP195800R0101
all AC500 V3 CPUs	BACnet protocol B-BC; runtime license (1)	PS5607-BACnet-BC	1SAP195550R0101

For using runtime licensed features one license per CPU is required. The license has to be installed on the AC500 V3 CPU either by connecting it to Automation Builder or via SD card that has been prepared by Automation Builder for license activation.

Further application libraries and examples:

Please check and download further libraries and examples from: www.abb.com/plc $\,$

Use English language setting, then click on "Application Examples".

Application Examples explain functionality by using e.g. standard Automation Builder libraries and functions in simple examples. They are tested in the described example configuration and functionality only, they come with documentation and are free of charge.

Applications Examples help to minimize valuable programming and testing time for specific applications.



AC500 libraries

The licenses can be transferred between AC500 V3 CPUs unlimited times.

⁽¹⁾ In preparation

Software features

	Automation Builder Features and target hardware	Basic	Standard	Premium
		Basic system engineering FREE	Integrated system engineering	Productivity and collaboration
Productive engineering	Integrated engineering for PLCs, safety, robots, motion, drives, SCADA and control panels	0	•	•
	Integrated tool suite installation and maintenance (online and offline)	•	•	•
	Project handling including project archive and backup features	•	•	•
	Project lifecycle support (version profiles and project migration)	•	•	•
	Native language support in EN, DE, ES, FR, CN	•	•	•
	Support of standardization and re-use by flexible configurations of machine variants and advanced IO device handling	•	•	•
	Support of re-use by cross project and cross Automation Builder instance copy&paste	•	•	•
	ECAD roundtrip engineering - AC500 and EPLAN / Zuken E3			•
	ECAD roundtrip engineering for 3rd party devices - PLC and EPLAN / Zuken E3			•
	Bulk data import/export with change control to any tool via CSV (also via copy&paste)			•
	Bulk data import/export of device and I/O lists and IEC 60870-5-104			•
	Change management support by project compare			•
	Automation of engineering (execution of Python scripts)			•
	Virtual system testing based on Virtual Commissioning Technology		0	0
	Collaborative engineering support by Professional Version Control with Subversion		0	0
PLC engineering (AC500 V2)	For: AC500-eCo, AC500 V2, AC500-XC, AC500-S Safety, AC500 local I/O modules, AC500 extension modules			
	PLC application programming (IL, LD, FBD, SFC, ST) plus CFC	•	•	•
	PLC firmware update, download and online change to single or several PLCs	•	•	•
	PLC simulation, diagnosis and debugging	•	•	•
	Integrated firmware identification and update (PM and CM devices)	•	•	•
	Configuration of communication protocols for TCP/IP, Modbus, CS31, IEC60870-5-104	•	•	•
	Configuration of communication protocols for PROFINET, EtherCAT, PROFIBUS DP, CAN (all via coupler)		•	•
	C/ C++ application programming (GNU compiler)			•
	Virtual system testing based on Virtual Commissioning Technology		0	0
PLC engineering (AC500 V3)	For: AC500 V3 and supported AC500 local I/O modules and AC500 extension modules			
	PLC application programming (LD, FBD, SFC, ST) plus CFC	•	•	•
	PLC firmware update, download and online change to single PLC	•	•	•
	PLC diagnosis and debugging	•	•	•
	Integrated firmware identification and update (PM and CM devices)	•	•	•
	Configuration of communication protocols for TCP/IP, Modbus TCP, Modbus RTU, IEC60870-5-104, CAN, BACnet, KNX	•	•	•
	Configuration of communication protocols for PROFINET, EtherCAT, CAN (all via coupler)		•	•
	Virtual system testing including PLCs based on Virtual Commissioning Technology (in preparation)		0	0
Safety PLC	For: AC500-S Safety CPU, Safety I/Os and PROFIsafe devices			
engineering	Safety PLC application programming (LD, FBD, ST)		0	0
(integrated solutions)	Fieldbus protocol engineering for PROFIsafe		0	0
Safety PLC	For: Pluto Safety PLC			
engineering (stand- alone solutions)	Safety Engineering with Pluto Manager	0	0	0
SCADA engineering	For: ABB zenon			
_	Integrated SCADA and PLC engineering with ABB zenon Editor		0	0

Software features

	Automation Builder	Basic	Standard	Premium
	Features and target hardware	Basic system engineering FREE	Integrated system engineering	Productivity and collaboration
Control Panel	For: CP600, CP600-Pro, CP600-eCo, CP600-WEB, PB610-R			
engineering	CP600 , CP600 2 nd generation and CP600-Pro panel configuration with PB610 Panel Builder 600	0	•	•
	CP600-eCo panel configuration with PB610 Panel Builder 600	•	•	•
	PLC tag data import	•	•	•
	Control Panel simulation for Virtual Commissioning Technology	•	•	•
Drive engineering	For: ACS355, ACS380, ACS480, ACS550, ACS580, ACS850, ACQ810, ACS880, DCS880, ACSM1			
	Drive management, configuration and diagnosis with common process data editor (Drive - PLC)		•	•
	Drive engineering in Drive composer pro	0	•	•
	Virtual system testing including Drives based on Virtual Commissioning Technology (only for ACS880)		0	0
Motion engineering	For: MicroFlex e150, Motiflex e180, Motiflex e190			
	Motion application engineering with Mint WorkBench	•	•	•
	PLC tag data import	•	•	•
Modbus TCP	For: CI521-MODTCP, CI522-MODTCP			
engineering	Configuration and diagnosis of unbundled Modbus TCP CI (communication interface) devices	•	•	•
Solution	Drive library	•	•	•
engineering	MQTT and JSON libraries	•	•	•
	Motion Control for AC500 V2 PLCopen Motion library (PS552-MC-E)	0	0	0
	Solar library (PS562-SOLAR)	0	0	0
	Water library (PS563-WATER)	0	0	0
	Temperature Control library (PS564)	0	0	0
	BACnet – ASC library (PS565) V2; - BC profile (PS5607) f. V3	0	0	0
	AC500 High Availability HA-CS31 library		•	•
	AC500 High Availability HA-Modbus TCP library V2/V3 (1)		0	0
	KNX-protocol V3 (1)		0	0
	IEC61850 for AC500 V3 (1)		0	0
	PackML library (*)		•	•
	FTP client library (PS554) (*)		•	•
	Signal Processing Package (*)		•	•
	Pumping library (PS571) (*)		•	•
	HVAC library (*)		•	•
	Process control objects (PCO) library (*)	•	•	•
Further features	PLC Multidownload tool for large installations		•	•
	OPC server and clients, service tool, PLC gateway, IP configuration and visualization		•	•
Operating systems	Recommended: Windows 7 32/64-bit, Windows 8.1 32/64-bit, Windows 10 32/64-bit (2)	•	•	•
	Minimum: 1 GHz, 3 GB RAM, 14 GB free disk space	•	•	•

o optional (additional license required) as integrated tool / feature / library

O optional (additional license required) as standalone tool / feature - not integrated in Automation Builder

⁽¹⁾ additional runtime license per PLC required

⁽²⁾ Limited support for Windows server operating systems - please check release notes for further information
(*) Technology Preview: Technology Previews are non-final versions of our product and should not be taken as a measure of the fit, finish, capability, and overall quality of the product. While we don't stop using these versions in projects, we don't recommend it if data loss and the usual quirks of preview software cannot be afforded.

Library features







PS562-SOLAR

Solar tracker solution library

Library for solar tracking applications enabling fast engineering, especially together with ABB's drives and motors

Covers different tracker configurations and different algorithms for accuracy needs

 Control of trackers in parabolic trough, power tower, PV and CPV applications.

Complete library package for different tracking use cases, plug and play:

Example program with detailed explanations and visualizations

- Control of the tracker adaptable to different needs and conditions, to achieve maximum efficiency of installation
- Exact positioning of different axes with the following accuracies:
- NOAA algorithm 0.03 Grad
- NREL algorithm 0.0003 Grad.
- Input / sensor adaptation
- Communication
- Different actuators / drives control
- All needed modes for simple commissioning and manual operation:
- Fast and simple calibration of the trackers, offering manual repositioning and fine tuning
- Safety positions
- Back tracking.

PS563-WATER

Water solution library

Library supporting the most common functions in many water applications

 ${\it Flexible\ data\ logging\ options:}$

- Especially suited for remote communication like GSM/GPRS
- Timestamp in logging
- Integrated variants for simple use with IEC 60870-5-104
- Logging to files: storage capacity only dependent on memory availability
- Flexible log conditions (cyclic, event or tolerance based).

Support for pumping station functions with different operation modes

- Standard multidrive functions (PLC based)
- Advanced functionality together with ABB ACS and ACQ810 drives
- Detailed diagnosis
- Energy efficiency functions
- Multidrive functions
- · Flow estimation.

Control Panel CP600 support for ACQ810: Fast and simple configuration for pumping stations with reduced programming effort via pre-built visualization screen templates.

Application examples for fast engineering and startup

PS564-TEMPCTRL

Temperature control library

Library packet for advanced temperature control applications

Includes extended, flexible PID functionality with Auto-tune for temperature control

- Enhanced response time and reduced overshoots and oscillations
- Option to optimize control for very different heating and cooling characteristics.
- Enhanced tolerance to thermocouple input noise
- · Normal and standby- setpoints
- Multi-level temperature monitoring and alarms provides flexible operation and protection for machine and process
- Logging enables complete overview of the actual situation and past behavior
- Configurable output timing, synchronization for peak load shaving in multi-zone setups
- Simulation blocks enable off-line setup and pre-test of a new project
- Group-programming

Example projects, including adaptable HMI project for CP600 family, well suited for multi zone and grouped temperature control e.g. in Extrusion:

- Easy to use operator interface
- Provides quick access to setup, monitoring and tuning screens for multiple zones
- Easily expandable to a large number of zones
- Zones: heat-, cool-only or heat-and-cool

License Package (Software is part of Automation Builder)

All AC500 V2 CPUs NOAA: PM554-XX and above NREL: PM573-ETH and above. All AC500 V2 CPUs Logging: PM573 and above. All AC500 V2 CPUs.

Library features







PS552-MC-E

PS565-BACnet-ASC

PS573-PCO

Motion control library

Library enabling fast and standardized engineering according to PLCopen standard when using ABB's AC500 PLC for motion control, especially together with ABB's motion control Drives.

Covers different motion control options for single and multiaxis motion control applications:

- Drive-Based and PLC-Based motion
- In PLC based motion, the position control loop could be closed in the PLC or drive (with synchronized network)
- Single axis, multiaxis and coordinated motion
- Defined Jerk limitation by polynomial interpolation
- Spline interpolation or polynomial interpolation for cam curves, position velocity or acceleration profiles available
- Possible to switch over between different movements and cam curves directly
- latch functionality by utilizing fast drive inputs for ACS350, ACS800, ACSM1
- Drive based motion: commands from PLC, drives perform interpolation and control loop
- Supports the new Pulse Train Output module FM562.

PLCopen functions:

- Administrative Function Blocks
- Single axis Function Blocks
 Multiple axis Function Blocks
- Multiple axis Function Blocks
- Homing Function Blocks
- · Coordinated Motion Function Blocks
- Additional ABB specific Function Blocks for further simplification.

BACNet communication library

This library enables AC500 PLCs to connect OEM or infrastructure applications to BMS (Building Management Systems) or other controllers.

The PS565-BACnet-ASC library enables AC500 to serve as BACnet server device, complying with the B-ASC Device Profile and interfacing control requirements, and acting as hardwired or Modbus-to-BACnet gateway.

It supports BACnet IP (Ethernet) and BACnet MS/TP (serial) networks. The scalable AC500 platform is compatible with the BACnet library starting from eCo PM5x6 with larger memory (~300 objects) up to PM595 (more than 5000 objects).

The very transparent, object-oriented publish and subscribe approach of BACnet allows efficient and well-documented engineering and collaboration of many different parties in large infrastructure projects.

Highlights

- Easy-to-use BACnet communication directly in the CPU
- No coupler or gateways required
- Cost-efficient particularly for OEMs and projects
- Interfacing other non-BACnet devices to BMS.

PS565 for AC500 is BTL-approved and certified

Process control objects library

Facilitates the use of AC500 as controller in DCS solutions by providing function blocks for easy integration into the process visualization.

Twelve function blocks are available which cover the following functionalities:

- Digital and analog setpoints
- Analog measurement with threshold alarm functions
- · Valve control
- Motor control with or without variable speed drives
- Proportional integral controller

The function blocks have an internal interface to the DCS system. Status and control are exchanged with the DCS system via OPC DA. For ABB Ability™ System 800xA an optional object library is available which contains symbols and faceplates that match the function blocks.

License Package (Software is part of Automation Builder)

All AC500 V2 CPUs (options and no. of blocks/functions and performance will depend on CPU size and memory).

All AC500 V2 CPUs, starting from PM5x6 (~300 objects) up to PM595 (>5000 objects)

(No license required)

All AC500 V2 CPUs have an onboard Ethernet interface (number of function blocks and performance will depend on the CPU size and memory).

Runtime license features







PS5601-HA-MTCP

PS5602-61850

(IEDs) or act as IED.

PS5604-KNX

High availability library using Ethernet (Modbus TCP)

Runtime license per CPU to download library into This runtime license enables the AC500 V3 PLC

Same philosophy as proven serial/CS31 based library.

Enables hot-standby redundancy and bumpless transfer with standard AC500 CPUs.

Supports 3 redundancy levels:

- CPU
- I/O communication
- · SCADA communication

Library package containing libraries based on Modbus TCP for field communication and using CI52x communication interface modules as I/O clusters with redundant connection.

Ethernet redundancy based on externally managed switches: Ethernet network can be independent of the redundancy mechanism

- Daisy chain in ring configuration of CI52x with Import / export of SCL files formats MRP as redundancy protocol
- · Fast reaction and switchover nearly independent of the number of clusters
- · Possibility of integrating other devices e.g. ABB drives into the redundancy scheme.

Scalable redundancy, where CPUs can also be placed far away from each other (...kilometers if Highlights fiber-optic networks are used).

Includes the AC500 Bulk Data Manager as a tool • Implementation can be programmed freely in for efficient configuration and cluster engineering.

· Configuration and export of projects, clusters, modules/parameters, signal names, visualization ("code generation")

Application examples for fast engineering and

IEC 61850 MMS server and **GOOSE** communication

The protocol library and configuration tool are part of Automation Builder. The runtime license is needed for download.

to connect to substation type equipment

61850 server edition 1 allows:

- · sending MMS messages to ensure a safe data communication - no real time support
- publishing and subscribing to GOOSE messages for high priority peer-to-peer data exchange between different servers to ensure a data transmission with minimal
- up to 5 client connections per server
- up to 50 entries per dataset
- up to 20 datasets

Automation Builder used as IED configuration tool

- · ICD IED capability description file
- · SCD substation configuration description
- · CID configured IED description file

Basic display options

- · Wide set of Logical Nodes provided
- · Further Logical Nodes can be defined
- IEC61131.

KNX IP communication

This runtime license enables the AC500 V3 PLC to connect to KNX IP.

The protocol and configuration options are part of Automation Builder and FW. The runtime license is needed for download.

Support of

- Up to 1000 group objects
- · Programming the physical address via ETS
- Downloading the KNX group address linking

Highlights

- Easy to use KNX communication directly in CPU due to tight ETS5 and Automation Builder integration via DCA
- No coupler or gateways needed
- Cost-efficient especially for OEMs and projects
- · Enables holistic building automation solutions.

Runtime license (Software is part of Automation Builder)

All AC500 V2 and V3 CPUs

All AC500 V3 CPUs

All AC500 V3 CPUs

Runtime license features



PS5607-BACnet-BC

BACnet communication

This runtime license enables the BACnet protocol on AC500 PLCs to connect OEM or infrastructure applications to BMS (Building Management Systems) or other controllers.

The PS5607-BACnet-BC license enables AC500 to act as BACnet server and client device, complying with the B-BC device profile.

It supports the use of BACnet IP (Ethernet) and BACnet MS/TP (serial) networks to be used with the scalable AC500 platform V3 CPUs.

The very transparent, object-oriented publish and subscribe approach of BACnet allows efficient and well-documented engineering and collaboration of many different parties in large infrastructure projects.

Highlights

- Comfortable configuration and editing in the Automation Builder with library support
- Easy-to-use BACnet communication directly in the CPU
- No coupler or gateways required
- Cost-efficient, particularly for OEMs and projects
- Interfacing other non-BACnet devices to BMS.

PS5607 for AC500 will be BTL-approved and certified.

Runtime license (Software is part of Automation Builder)

All AC500 V3 CPUs