



Quality Products. Service Excellence.

Rack Mount Fan Tray *FT Series*

Features



- Standard 19" rack mount
- Compact and economical rack cooling solution.
- Fan trays can be positioned at the bottom of a rack to force air through the cabinet, at the top to exhaust air out or below specific pieces of equipment for spot cooling
- Choice of two operating voltages 115VAC (or 220VAC) - both 50/60 Hz., thermally protected, ball bearing fans
- Circuit breaker protected
- Low profile 1.75" (1U) of panel space
- 115VAC versions includes a 6' 14/3 STJW cord with molded 3 prong plug (NEMA 5-15P)
- 220VAC versions include an IEC input receptacle (IEB20-C14)
- Integral finger guards above and below fans
- Case width is 17"
- 6 and 9 fan units include an adjustable rear mounting bracket (mounts to rear panel rails) for extra stability
- Shipped fully assembled
- Available with or without on/off switch
- Finished in textured black powder paint



Accessories

- Mounting Hardware
- Input Accessory Cords

115 VAC Fan Trays

Part No.	Part No.	Number	Free Flow Air	Power	Running	Running	Case	Rear Bracket Depth		Noise
Without Switch	With Switch	Of Fans	Delivery (CFM)	(50/60 Hz.)	Amps	Wattage	Depth	Min.	Max.	(dB)
FT300TA1BK	FT300HA1BK	3	300	115 VAC	0.5	40	7.50	n/a	n/a	63
FT600TA1BK	FT600HA1BK	6	600	115 VAC	1	80	13.00	2.40	19.20	65
FT900TA1BK	FT900HA1BK	9	900	115 VAC	1.5	120	18.50	7.90	24.70	69

220 VAC Fan Trays

Part No.	Part No.	Number	Free Flow Air	Power	Running	Running	Case	Rear Bracket Depth		Noise
----------	----------	--------	---------------	-------	---------	---------	------	--------------------	--	-------

Without Switch	With Switch	Of Fans	Delivery (CFM)	(50/60 Hz.)	Amps	Wattage	Depth	Min.	Max.	(dB)
FT300TA1220BK	FT300HA1220BK	3	300	220 VAC	0.26	40	7.50	n/a	n/a	63
FT600TA1220BK	FT600HA1220BK	6	600	220 VAC	0.52	80	13.00	2.40	19.20	65
FT900TA1220BK	FT900HA1220BK	9	900	220 VAC	0.79	120	18.50	7.90	24.70	69

10/9/2020

Rack Mount Fan Tray (FT Series) - Hammond Mfg.

Data subject to change without notice

McAPS INCORPORATED