

550-650 W High Wattage Fan Heater SCR Series





HS

Features

- For large heating capacity requirements.
- Maintains minimum operating temperatures in enclosures. •
- Helps prevent failures to components caused by condensation and corrosion. •
- Built-in thermostat and control light. •
- Heating power adjusts to ambient temperature. •
- Heat exits top of fan heater. (add 2" clearance for heat sensitive parts)

		Inrush		Temperature	
Part No.	Watts	Current (Amps)	Volts	Maximum with Fan	
SCR027009	550 W	14 A	AC 120	250°F/120°C	
SCR027009230	550 W	13 A	AC 230	250°F/120°C	
SCR027019	650 W	15 A	AC 120	320°F/160°C	
Air Flow:	20 CFM (550)	20 CFM (550W), 26 CFM (650W)			
Thermostat Range:	32 - 140 degr	32 - 140 degrees Fahrenheit			
Heating Element:	PTC - Semicor	PTC - Semiconductor/resistor			
Housing:	Plastic, rated UL94-VO				

Connection:	3 pole terminal, AWG 14 max (2.5 mm2)
Mounting:	Clip for 35mm DIN rail
Protection Class:	II (Double Insulated)
Protection Type:	IP20
Approval:	UL Recognized Component, cUL Recognized Component, CE

McAPS INCORPORATED

Data subject to change without notice